

# ALM-B-10000 TE

Engineered to high standards, this portable generator set is designed for professional applications where mobile and temporary power is essential.

Built around portability, operational reliability, and optimized fuel efficiency, it delivers stable power output under varying load conditions and ensures dependable performance over extended periods of use.



Visual representation only.

## PRIME POWER

PRP (Prime Power) is suitable for supplying variable electrical loads during utility power interruptions. A 10% overload capability is available.

## STANDBY POWER

ESP (Emergency Standby Power) is intended for supplying variable loads in the event of a utility power failure. No overload capability is available.

## General Specifications

<b>Prime Power</b>	kVA	9
<b>Maximum Power</b>	kVA	10
<b>Voltage</b>	V	220/380
<b>Frequency</b>	Hz	50
<b>Number of Phases</b>		3
<b>Power Factor</b>		0,8
<b>Fuel Consumption @100% Load</b>	l/h	3,95
<b>Fuel Consumption @50% Load</b>	l/h	2,83
<b>Number of Poles</b>		2
<b>Engine Speed</b>	d/dk	3600
<b>Engine Power</b>	Hp	18
<b>Bore x Stroke</b>		92 x 69
<b>Number of Cylinders</b>		1
<b>Displacement</b>	mL	500
<b>Fuel Type</b>		Gasoline
<b>Oil Capacity</b>	L	1,1
<b>Fuel Tank Capacity</b>	L	30
<b>Starting System</b>		Electric start
<b>Width</b>	mm	565
<b>Length</b>	mm	715
<b>Height</b>	mm	585
<b>Weight</b>	kg	104

M: Single Phase

T: Three Phase

S: Soundproof Canopy

E: Electric Start

I: Inverter

Alimar Generator continuously improves its products and reserves the right to update technical specifications, product configurations, and documentation without prior notice.